IN THE CLAIMS

Cancel claims 1, 6, 16-27, 32, and 35-41.

Cancel claims 2-5, 7-15, 28-31, and 33-34, and add new claims 42-60 in their place as follows:

1-41. (canceled)

42. (new): A hand-held control device for controlling a terminal connectable by a communications network to an addressed resource, the device comprising:

address input means for scanning a text address of the resource;

command output means for uploading address information from the device to
the terminal and causing the terminal to connect to the addressed resource; and
recognition means for recognizing the nature of the addressed resource

recognition means for recognizing the nature of the addressed resource from the format of the scanned text address.

- 43. (new): A device according to claim 42, further comprising means for retrieving an application launch code suitable to launch an application on the terminal appropriate to the nature of the addressed resource.
- 44. (new): A device according to claim 43, further including means for appending the application launch code to the address information before upload to the terminal.
- 45. (new): A device according to claim 44, further comprising means for storing the address information with an associated application launch code until upload to the terminal.
- 46. (new): A hand-held control device for controlling a terminal connectable by a communications network to an addressed resource, the device comprising:

 address input means for scanning a text address of the resource;

command output means for uploading address information from the device to the terminal and causing the terminal to connect to the addressed resource; and control means responsive to the orientation and/or movement of the device, the control means includes a tilt switch or an array of tilt switches arranged to sense orientation of the device.

- 47. (new): A hand-held control device for controlling a terminal connectable by a communications network to an addressed resource, the device comprising:

 address input means for scanning a text address of the resource;

 command output means for uploading address information from the device to the terminal and causing the terminal to connect to the addressed resource; and control means responsive to the orientation and/or movement of the device, the control means includes an accelerometer or an array of accelerometers arranged to sense orientation or movement of the device.
- 48. (new): A device according to claim 47, wherein the control means is arranged to sense movement of a head end of the device when the device is used as a writing instrument.
- 49. (new): A hand-held control device for controlling a terminal connectable by a communications network to an addressed resource, the device comprising:

 address input means for scanning a text address of the resource;

 command output means for uploading address information from the device to the terminal and causing the terminal to connect to the addressed resource; and control means responsive to the orientation and/or movement of the device, the control means includes an accelerometer or an array of accelerometers arranged to sense orientation or movement of the device, the control means activates a function in accordance with the orientation or movement of the device.

- 50. (new): A hand-held control device for controlling a terminal connectable by a communications network to an addressed resource, the device comprising:

 address input means for scanning a text address of the resource;

 command output means for uploading address information from the device to the terminal and causing the terminal to connect to the addressed resource;

 control means responsive to the orientation and/or movement of the device, the control means includes an accelerometer or an array of accelerometers arranged to sense orientation or movement of the device, the control means activates a function in accordance with a predetermined sequence of orientations or movements of the device.
- 51. (new): A hand-held control device for controlling a terminal connectable by a communications network to an addressed resource, the device comprising:

 address input means for scanning a text address of the resource;

 command output means for uploading address information from the device to the terminal and causing the terminal to connect to the addressed resource; and wherein a head end of the device includes a stylus.
 - 52. (new): A device according to claim 51, wherein the stylus is retractable.
- 53. (new): A hand-held control device for controlling a terminal connectable by a communications network to an addressed resource, the device comprising:

 address input means for scanning a text address of the resource;

 command output means for uploading address information from the device to the terminal and causing the terminal to connect to the addressed resource; and means for generating a text file as a user writes with the device.
- 54. (new): A hand-held control device for controlling a terminal connectable by a communications network to an addressed resource, the device comprising:

address input means for scanning a text address of the resource;
command output means for uploading address information from the
device to the terminal and causing the terminal to connect to the addressed resource; and
means for generating a graphics file as a user writes or draws with the device.

55. (new): A method of controlling a terminal connectable by a communications network to an addressed resource, the method comprising:

scanning a text address of the resource;
uploading address information to the terminal;
causing the terminal to connect to the addressed resource; and
recognizing the nature of the addressed resource from the format of the
scanned text address.

- 56. (new): A method according to claim 55, further comprising retrieving an application launch code suitable to launch an application on the terminal appropriate to the nature of the addressed resource.
- 57. (new): A method according to claim 56, further comprising appending the application launch code to the address information before upload to the terminal.
- 58. (new): A method according to claim 57, further comprising storing the address information with an associated application launch code until upload to the terminal.
- 59. (new): A method of controlling a terminal connectable by a communications network to an addressed resource, the method comprising:

scanning a text address of the resource;
uploading address information to the terminal;
causing the terminal to connect to the addressed resource;

controlling the terminal by a hand-held device that scans the resource address and uploads resource address information to the terminal; and controlling the hand-held device by orientation and/or movement of the device.

60. (new): A method of controlling a terminal connectable by a communications network to an addressed resource, the method comprising:

scanning a text address of the resource;
uploading address information to the terminal;
causing the terminal to connect to the addressed resource;
controlling the terminal by a hand-held device that scans the resource
address and uploads resource address information to the terminal; and
using the device as a writing instrument and sensing movement of the
device to generate a message file.